

Swimming Pools and Hot Tubs

The Tuckerton Borough Code section 255-44 and the International Residential code 2009 establish various pool regulations, such as set back requirements and other Code regulations. More specifically, all pools with a water depth greater than twenty four (24) inches must be enclosed by a pool enclosure fence, if pool height is less than 48", Pools 48" or greater may act as the barrier with a self-closing type ladder, must be serviced by a GFI electrical service, and must maintain a setback of at least 10 feet from any property line, and 5 feet from any building.


The Borough Code Enforcement Officer will be canvassing all properties with pools within the next few weeks, and, for your own protection, we ask that all pools be brought into compliance with the standards of state and local codes immediately.

If you need assistance in identifying the standards applicable to your pool, we will assist you in this regard.

Thank you,

Tuckerton Code Enforcement Office


ENCLOSURE FOR ABOVE GROUND OUTDOOR PRIVATE SWIMMING POOL




MODEL BARRIER CODE ENCLOSURE

SELF-LATCHING SYSTEM


Contents of Self-Latching box



REQUIRED FOR SKU # 9600



REQUIRED FOR SKU #7010




WARNING

- ◆ Do not dive or jump from step or ladder.
- ◆ Use BATTERY operated tools to avoid electric shocks.
- ◆ Install step on flat surface, following the manufacturers instructions.
- ◆ Remove step from pool during freezing climate season.
- ◆ Manufacturer cannot be held responsible for injuries caused by abusive use of product.
- ◆ Ask your city about specific regulations that apply to your aboveground pool and ladder.


Required tools and supplies (not included)

A weather resistant padlock is recommended.


use small locking pliers/vice grip or a wrench 7/16"



SKU # 9600



SKU # 7010



pull up to open

Door Swings Shut And Locks.